



coolfoto™

Login Register

Home

Photo News

Typography

Modules Positions

Slide News

FAQ

Joomla



preview

details

photo blog

latest news

Create your own
photo
weblog

- 01 social toolbar
- 02 new, excellent N...

Login Register

Home

Photo News

Typography

Modules Positions

Slide News

FAQ

Joomla Stuff

coolfoto™

Login

coolfoto™

coolfoto™

June 2009 Template INSTRUCTION MANUAL



W address Milla Jovovich has
shape before, I've never
consequat consectetur
ligula velit tempor enim, quis vehic
nibh adipiscing pharetra ac tincidu
nunc tristique blandit tempor. Cr

COPYRIGHT DISCLAIMER

GavickPro June 2009 Coolfoto - Joomla!1.5 Template
Instruction Manual

Copyright © 2009 GavickPro - <http://www.gavick.com>
This manual cannot be redistributed without permission from GavickPro
More info at: <http://www.gavick.com>
Author: Paulo Seichinha

FOR INFO, UPDATES, REQUESTS & CONTACT

Check out Gavick.com, the official website of this Joomla! Template and home to others high quality and professional templates, components and modules.
Keep updated about all templates, components and modules by visiting our update.gavick.com

Copyright © 2009 GavickPro - <http://www.gavick.com>

1	Introduction	4
	Introducing Coolfoto	4
2	Getting Started	5
	Coolfoto package - Overview files.	5-6
3	Recommendations	7
	Notices and recommendations	7
4	QuickStart Installation	8
	QuickStart Installation.	8
5	Quick Guide - Step by Step Installation	9
	Quick Step by Step Installation	9
6	Demo Modules Positions	10
	Demo Modules Positions.	10
	<i>Detail Step-by-Step Installation</i>	11
7	Coolfoto - Step by Step Detail Installation	11
	Coolfoto Template Installation	11
8	Template Parameters	12
	Coolfoto Template Parameters overview.	12-13
9	PhotoSlide GK3 Installation Files	14
	Component Installation	14
	Demo Group Configuration.	14
	Image Show Module Installation	15
	Image Show Module Settings	15-16
10	Tabs Manager GK3 Installation Files	17
	Component Installation	17
	Tabs Gk1 Module Installation and Configuration	17
11	News Show Pro GK1 Installation	18
	Module Installation	18
	Module Configuration	18
12	GK Typography Plugin	19
	GK Typography plugin overview	19
	Plugin installation	19
	How to use typography plugin	20-21
13	Typography	22
	Flowers Theme	22-23-24-25-26
14	Typography	27
	Heaven Theme	27-28-29-30-31
15	Flowers Theme	32
	Modules Variations	32
16	Heaven Theme	33
	Modules Variations	33
17	Modules Positions	34
	Modules positions.	34
	Modules as Component	34

1 Introducing CoolFoto

Can you see the world through our eyes here at GavickPro?

As I pressed the button, time stood still. For a moment everything seemed to be in perfect rhythm. The image catches my attention, it's eyes spoke every language at the same time, the world felt to move in the palm of my hand, giving me the most wonderful and unexplainable feelings of life.

Everything makes sense with the power of imagery.

It's our vision here at GavickPro, and we're sharing it with you!

GavickPro Studio is proud to present our newest Joomla 1.5 template design: Coolfoto Template. Its intended use is for either professional or personal photo presentation, and it's been developed with the highest quality of design and functionality.

Make powerful use of Joomla combined with Coolfoto to highlight your work and put on an awing display for your site's visitors.

An overview of key features of this template is as follow:

- » Tableless design and 100% css based.
- » 2 style themes: Flowers and Heaven
- » Build support for the new PhotoSlide GK3 component and exclusive Gk Image Show module style with new features. **[NEW]**
- » Build support for TabsManager GK3 component for tabs content display.
- » Build support for the News Show Pro GK1 module.
- » WYSIWYG Friendly Typography plugin **[NEW]**
- » Disable option for main body appearance on front page.
- » Option of module as component by setting on main body position **[NEW]**.
- » Configurable Column and Inset position width.
- » Configurable Header 1/Header 2 and Header 3/Header 4 positions width.
- » Option of Column position to left or right display.
- » Login and Register buttons options for front page and with modalbox effect display.
- » Style Theme Switcher option.
- » Social Toolbar - easy Social Icons display configuration on template parameters. **[NEW]**
- » Easy footer content configuration on template parameters **[NEW]**
- » Compressed engine option for each modules.
- » Support for language translation.
- » 3 layout options: 3 columns (component + inset + right/left), 2 columns (component + inset or right/left) and 1 column (component).
- » All 22 modules are fully collapsible and more 20 modules positions ready for tabs.
- » Impressive built-in content style.
- » Gavick Suckerfish menu version, with 2 built-in options - Suckerfish menu and Mootools. 34 different styles mootools animation effects..
- » Speed menu animation option
- » Optional IE6 Warning / Upgrade Notification
- » Lightweight, modern and very fast-loading design
- » Joomla 1.5 Native
- » W3C XHTML 1.0 Transitional. W3C CSS Valid
- » Fully compatible IE7+, Firefox 2+, Firefox 3, Flock 0.7+, Netscape, Safari, Opera 9.5, Chrome.
- » Delivered with source Adobe .PSD files.
- » Delivered with "QuickStart Package".



CoolFoto - Overview files

After downloaded all the files available on our exclusive MemberShip commercial section and also some files that are available on our free tools section, let's see a brief overview inside the CoolFoto package. Since some tools used on this project have their own HelpFile, we will provide the main orientation guide to make your installation and provide screenshots of the demo configuration available on the HelpFile package. For further details about our extensions, please read the respective HelpFiles available on their respective package.

[So, here's a brief overview of the files available inside the "CoolFoto" Template pack.](#)

You downloaded the following 2 compressed files:

» **gk_coolfoto.tgz** - This is the template file for installation using Joomla Installer.

» **gk_coolfoto_J!15_rest_files.zip** **Important!!! Before running... please unpack the .zip file.**

After unpack is done, you will find inside of "gk_coolfoto_J!15_rest_files" folder the following files:

» **_doc!!!** "folder"

Here's the present Instructions Manual. For the PhotoSlide GK3 Component, the Tabs Manager GK3 component and the News Show Pro GK1 module, you can find them inside the respective extension package.

» **_quickstart!!!** "folder"

The CoolFoto comes along with a QuickStart installation. Please, read the respective chapter - (pag. 8).

» **Components** "folder"

Contains instructions to download the Component tools that are necessary to use on the CoolFoto template.

» **Modules** "folder"

Contains instructions to download the necessary modules to use on the CoolFoto template and also the **gk_image_show_default_settings.txt** file, which contains the default setting for Image Show module for this template.

» **Plugins** "folder"

Contains the new GK Typography plugin (**plg.gk_typography.zip**) for WYSIWYG editor use. Install it using joomla installer and enable it on plugin manager.

» **Source** "folder"

Contains psd. source files for Photoshop Graphic Editor, ready to be changeable for customization of your website design.

Notice!! The font(s) used on the source files are not provided with the Template package, because they may have copyrights reserved.

The use of the images used in the demo content is strictly prohibited.

IMPORTANT!!!

Other files necessary and not available on package.

Previously explained, to complete the necessary files for this project, you need to download our free extensions from our website. Go to <http://tools.gavick.com> or to <http://www.gavick.com/downloads-area/>.

You will find the components and modules used on this template (since they are free, they are located on our free download section).

» PhotoSlide GK3 component package (Unpack first the photoslide_3_pack.zip file!!!)

GK PhotoSlide GK3 component (*com_gk3_photoslide.zip*) - this is the new version of PhotoSlide and it's located inside of the component folder. (Installation: use Joomla Installer).

GK Image Show module (*mod_gk_image_show.zip*) - this is the module exclusive for PhotoSlide GK3.

» Tabs manager GK3 component package (Unpack first the tabsmanager_3_pack.zip file!!!)

GK Tabs Manager GK3 component (*com_gk3_tabs_manager.zip*) - this is the Tabs Manager GK3 component and it's located inside of the component folder. (Installation: use Joomla Installer).

GK Tab module (*mod_gk_tab.zip*) - this is the module, exclusive for Tabs manager GK3 version. (Installation: use Joomla Installer).

» News Show Pro GK1 module package (Unpack first the news_show_pro_gk1_pack.zip file!)

Here you can find this following files:

GK News Show Pro GK1 module (*mod_news_pro_gk1.zip*) - this is the module (Installation: use the Joomla Installer).

GK News Show GK3 plugin for PhotoSlide GK2 (*plg_news_show_gk3.zip*) - **Important!** This plugin is only necessary for PhotoSlide GK2 version, in case you decide to use it, instead of the new PhotoSlide GK3, which already have the plugin installed by default. So, you may considerate this plugin as optional and remember that doesn't work with PhotoSlide GK3, but only PhotoSlide GK2

(Installation: use the PhotoSlide GK2 Plugin Installer).

Here are some recommendations that might help you.

Are you new in Joomla?

If you are new in Joomla, we strongly recommend that you perform some tests and experiences to fit into this excellent CMS (Content Management System), and visit the official support forum of www.joomla.org for any problem direct relationship. GavickPro Studio is not responsible for Joomla, neither gives respective support. Nevertheless, if possible, we will be happy to help you in our support forum.

Building a new Website ?

If you are building a new website and if you like our demo, we strongly recommend the use of QuickStart version, and from this start change it with your own content and easily make any necessary configuration adjustments.

Get quick acquaint with Coolfoto template

In all cases, if you are a new or already experience user, we always recommend experimental version, using free popular local server like XAMPP or WAMP (*you can find easily information on internet about this excellent tools for website development*) or if you prefer, an online test installation. This way, you be able to fit more fast and easily in some tools configurations, modules positions and other particular details that you need to know.

You already have a website and want to use this template ?

If you choose to install this template in an already existing website, make sure that you have the latest version of Joomla (*present version - J!1.5.12*). If not, please upgrade to insure compatibility with our template and extensions. Naturally, if this is your case, you must install all files individual, from template to components, modules and plugins. Nevertheless, please remember that the QuickStart version is still important ally for orientation. Just remember the previous recommendations.

Do you have some problems with our extension?

Some usual problems reported on our support forum are script conflict from 3th party extensions. If you know Joomla enough, you know there's an huge amount of solutions and extensions available for free or commercial from other teams or developers. Naturally, you will search others extensions to complete some particular functionality to fulfill your website needs. But understand that we are responsible only for our template and extensions, and we cannot guarantee that all 3th party tools will work perfectly with our project. So, it's in your hands to choose those extensions on Joomla Community. Nevertheless, ask for support in our forum, and if possible we will try to provide your solution.

Another usual problem identified in our forum is related with permissions on files and directory. Some tools need specific files to have rewrite or read permissions, so you might find some problems if you don't have this permissions set. Notice that we cannot control your server security configurations, but we can provide directions were you must change this permissions. If you are unable to change it, we advice you to contact your host provider.

Keep always updated!

We strongly recommend regular visits to update.gavick.com, were you can find the latest updates of our templates, components, plugins or modules. If you have any problem, please be sure if the solution is not already available. This way will avoid waste time, searching or asking for solutions in our forum support.

Need some small Style customization adjustment?

You can always request support to our Moderators or Developers, but you need to take in mind that this is customization and not regular support service. In future, GavickPro might provide personal customization services and installation support, but it's not yet available as standard service. The Developer MemberShip is excluded, since this subscription already have this type of support, if needed. Nevertheless, we will always try to help you.

If you have some experience in CSS styling, we strongly recommend the use one of the most powerful tool for WebDesigners, available for free in FireFox addons - The **FireBug** - without any doubt, you can't find most powerful ally if you are building a website.

What is the better way for me to report my problem in the support forum?

If you need help on some issue, please report on our forum in the most objective way, be polite and preference in english language. Always identify your URL for faster support, because in most cases our support team needs to see the problem.

Need to contact Us?

Besides our official forum support, you can also contact us by Skype. Please check our contact page and we will reply as soon as posible.

CoolFoto QuickStart installation

So why do we recommend this installation? Well, because it's the easiest way to install our template and to take advanced immediatly of all components, plugins and modules configurations. It's like a normal Joomla!1.5 installation and it includes all files needed. It will set your joomla website exactly as **Coolfoto** demo Template in our demo.gavick.com Website.

Again, we invite you to visit us regularly, because all Joomla!1.5 future upgrades may force us to upgrade all our templates and the respective extensions. So, keep in touch on update.gavick.com.

Strong Sugestion!!!

Again, get easy acquaint of Coolfoto template environment, by making some tests using local server (i.e. XAMPP or WAMP Servers) or others available for free in the internet. **By installing this local servers, you be able to install, run and test all easily in your computer, like a normal website environment.** This make all the difference and we garantee you that will avoid wasting time by searching our support forum, when the answers are already available on the QuickStart version.

Well, let's start! If you follow this unique basic steps, your should have no problems at all.

Installation Steps for the QuickStart!!!:

Step 1) Unpack the compressed file **gk_coolfoto_J!15_rest_files.zip** and find inside the **_quickstart!!!** folder. Enter in it and you will find the **QUICKSTART_JUNE2009.zip** file.

Step 2) Unpack the compressed file **QUICKSTART_JUNE2009.zip** inside of the **_quickstart!!!** folder and upload all the content inside the **QUICKSTART_JUNE2009** folder to your website directory. You will notice that this files are similar to a normal Joomla!1.5 package. That's because it is a normal joomla installation.

Step 3) Create a new database using **MyphpAdmin** that you should have available in your website cpanel.

Step 4) Make a normal Joomla J!1.5.12 installation using the upload files. **Notice!!! You will see that it's not necessary at this time to set your Username and Password, because they are already provided by us.**

Step 5) Like a normal joomla installation, you must delete or rename your **"installation"** folder in your website installation.

Step 6) After ending the installation, enter in the Administrator using Username **"admin"** and password **"demo"** *(Naturally, you can change this values after!!!).*

That's it! Easy, was not?

Go to your new Joomla frontpage and see the website exactly as our demo. Now, you can start working on your own content and make guidance use of our tools configuration.

Coolfoto Quick Guide Step by Step Installation

For those who need to install the template manually and do not need further detail informations, we prepare the following short task list for the Coolfoto installation.

Naturally, we will assume that you already have the latest joomla!1.5 website installed.

- » **Step 1** Install the **CoolFoto template** (*gk_coolfoto.tgz*) using the Joomla Installer.
- » **Step 2** Go to the Templates Manager and set the “**gk_coolfoto**” template as default.
- » **Step 3** Using the Joomla Installer, install the **PhotoSlide Gk3** component (*com_gk3_photoslide.zip*).
- » **Step 4** Using the Joomla Installer, install the **GK Image Show** module (*mod_gk_image_show.zip*).
- » **Step 5** Using the Joomla Installer, install the **Tabs Manager Gk3** component (*com_gk3_tabs_manager.zip*).
- » **Step 6** Using the Joomla Installer, install the **GK Tabs** module (*mod_gk_tab.zip*).
- » **Step 7** Using the Joomla Installer, install the **GK News Show Pro GK1** module (*mod_news_pro_gk1.zip*).
- » **Step 8** Using the Joomla Installer, install the **GK Typography** plugin (*plg.gk_typography.zip*) and enable it.
- » **Step 9** With all previous 8 steps done, your template have all the necessary files installed. More ahead, you will provide orientation of the demo modules positions and their configurations. **For the demo modules positions, please see the screenshot on the next page!**

6

Demo Modules Positions

Demo Modules Positions

The following screenshot contains a resume list of the modules used on the demo template and the respective positions. For your orientation, please check inside the DemoModulesConfigurations folder and you will find some screenshot of the Gavick modules configurations used on this template.

#	<input type="checkbox"/>	Module Name	Enabled	Order		Access Level	Position▲	Pages	Type	ID
1	<input type="checkbox"/>	Breadcrumbs	✓	<input type="text" value="0"/>		Public	breadcrumb	Varies	mod_breadcrumbs	35
2	<input type="checkbox"/>	Banners	✓	<input type="text" value="0"/>		Public	footer	All	mod_banners	30
3	<input type="checkbox"/>	Footer	✓	<input type="text" value="2"/>		Public	footer	All	mod_footer	33
4	<input type="checkbox"/>	footermenu	✓	<input type="text" value="0"/>		Public	footer_menu	All	mod_mainmenu	46
5	<input type="checkbox"/>	Gavick Image Show	✓	<input type="text" value="0"/>		Public	header1	Varies	mod_gk_image_show	45
6	<input type="checkbox"/>	Gavick Tab GK1	✓	<input type="text" value="0"/>		Public	header2	Varies	mod_gk_tab	44
7	<input type="checkbox"/>	Search	✓	<input type="text" value="0"/>		Public	header3	Varies	mod_search	27
8	<input type="checkbox"/>	Highlights Photos	✓	<input type="text" value="0"/>		Public	inset	Varies	mod_news_pro_gk1	52
9	<input type="checkbox"/>	Main Menu	✓	<input type="text" value="4"/>		Public	inset	Varies	mod_mainmenu	1
10	<input type="checkbox"/>	Polls	✓	<input type="text" value="4"/>		Public	inset	Varies	mod_poll	16
11	<input type="checkbox"/>	Key Concepts	✓	<input type="text" value="4"/>		Public	left	All	mod_mainmenu	40
12	<input type="checkbox"/>	User Menu	✓	<input type="text" value="5"/>		Registered	left	All	mod_mainmenu	17
13	<input type="checkbox"/>	Example Pages	✓	<input type="text" value="6"/>		Public	left	Varies	mod_mainmenu	39
14	<input type="checkbox"/>	Login Form	✓	<input type="text" value="8"/>		Public	login	All	mod_login	18
15	<input type="checkbox"/>	Black and White Photos	✓	<input type="text" value="0"/>		Public	mainbody	Varies	mod_news_pro_gk1	58
16	<input type="checkbox"/>	Content Gavick Tab GK1 pink	✓	<input type="text" value="0"/>		Public	right	Varies	mod_gk_tab	48
17	<input type="checkbox"/>	Content Gavick Tab GK1 blue	✓	<input type="text" value="0"/>		Public	right	Varies	mod_gk_tab	49
18	<input type="checkbox"/>	Advertisement	✓	<input type="text" value="4"/>		Public	right	Varies	mod_banners	38
19	<input type="checkbox"/>	Who's Online	✓	<input type="text" value="0"/>		Public	search_bottom	Varies	mod_whosonline	21
20	<input type="checkbox"/>	Bottom Search	✓	<input type="text" value="0"/>		Public	search_bottom	Varies	mod_search	47
21	<input type="checkbox"/>	Syndication	✓	<input type="text" value="3"/>		Public	syndicate	All	mod_syndicate	36
22	<input type="checkbox"/>	News Pro GK1	✓	<input type="text" value="0"/>		Public	tab1	All	mod_news_pro_gk1	43
23	<input type="checkbox"/>	News Pro GK1 Tab2	✓	<input type="text" value="0"/>		Public	tab2	All	mod_news_pro_gk1	50
24	<input type="checkbox"/>	News Pro GK1 Tab3	✓	<input type="text" value="0"/>		Public	tab3	All	mod_news_pro_gk1	51
25	<input type="checkbox"/>	News Show Tab blue style	✓	<input type="text" value="0"/>		Public	tab4	All	mod_news_pro_gk1	56
26	<input type="checkbox"/>	News Pro GK1 Tab3 blue	✓	<input type="text" value="0"/>		Public	tab5	All	mod_news_pro_gk1	57
27	<input type="checkbox"/>	Top Photos	✓	<input type="text" value="0"/>		Public	user10	Varies	mod_mostread	53
28	<input type="checkbox"/>	Latest News	✓	<input type="text" value="0"/>		Public	user7	Varies	mod_latestnews	54
29	<input type="checkbox"/>	Popular News	✓	<input type="text" value="0"/>		Public	user8	Varies	mod_mostread	22
30	<input type="checkbox"/>	Sections	✓	<input type="text" value="0"/>		Public	user9	Varies	mod_sections	24

Coolfoto template installation

Navigate to your Joomla! Administrator and enter inside the administrative panel on your Joomla website.

From the top menu, select “[Extensions > Install/Uninstall](#)”. Click the ‘browse’ button, select the template file (*gk_coolfoto.tgz*) and press ‘[Upload File & Install](#).’ A message will appear saying ‘[Install template Success](#)’. This page will display an overview of the template.

i Install Template Success

Coolfoto

Can you see the world through our eyes here at GavickPro?

As I pressed the button, time stood still. For a moment everything seemed to be in perfect rhythm. The image catches my attention, it's eyes spoke every language at the same time, the world felt to move in the palm of my hand, giving me the most wonderful and unexplainable feelings of life.

Everything makes sense with the power of imagery.

It's our vision here at GavickPro, and we're sharing it with you!

GavickPro Studio is proud to present our newest Joomla 1.5 template design: Coolfoto Template. Its intended use is for either professional or personal photo presentation, and it's been developed with the highest quality of design and functionality.

Make powerful use of Joomla combined with Coolfoto to highlight your work and put on an awing display for your site's visitors.

An overview of key features of this template is as follow:

- Tableless design and 100% css based.
- 2 style themes: Flowers and Heaven
- Build support for the new PhotoSlide GK3 component and exclusive Gk Image Show module style with new features.
- Build support for TabsManager GK3 component for tabs content display.
- Build support for the News Show Pro GK1 module.
- WYSIWYG Friendly Typography plugin
- Disable option for main body appearance on front page.
- Option of module as component by setting on main body position.
- Configurable Column and Inset position width.
- Configurable Header 1/Header 2 and Header 3/Header 4 positions width.
- Option of Column position to left or right display.
- Login and Register buttons options for front page and with modalbox effect display.
- Style Theme Switcher option.
- Social Toolbar - easy Social Icons display configuration on template parameters.
- Easy footer content configuration on template parameters.
- Compressed engine option for each modules.
- Support for language translation.
- 3 layout options: 3 columns (component + inset + right/left), 2 columns (component + inset or right/left) and 1 column (component).
- All 22 modules are fully collapsible and more 20 modules positions ready for tabs.
- Impressive built-in content style.
- Gavick Suckerfish menu version, with 2 built-in options - Suckerfish menu and Mootools. 34 different styles mootools animation effects..
- Speed menu animation option
- Optional IE6 Warning / Upgrade Notification
- Lightweight, modern and very fast-loading design
- Joomla 1.5 Native
- W3C XHTML 1.0 Transitional, W3C CSS Valid
- Fully compatible IE7+, Firefox 2+, Firefox 3, Flock 0.7+, Netscape, Safari, Opera 9.5, Chrome.
- Delivered with source Adobe .PSD files.
- Delivered with "QuickStart Package".

[View Coolfoto in live demo](#)




After the template is successful installed, you must set it as your default template. To do that, navigate to “[Extensions > Template Manager](#)” and set it as default template.

With the template installed, next let's explain how to install the others files needed (components, modules and plugins).

Coolfoto parameters

Coolfoto comes with several parameters that you can configure as your needs. To access the template parameters, navigate to “[Extensions > Template Manager](#)” and select **gk_coolfoto** template on the page. Press “**edit**” option or just click on template link as you be able to see the following parameters table.



The screenshot shows the Joomla! Template Manager interface. The 'gk_coolfoto' template is highlighted in yellow and has a star icon in the 'Default' column. A preview window for the 'coolfoto' template is open, showing a login form. The table below lists the templates:

#	Template Name	Default	Assigned	Version	Date	Author
1	beez			1.0.0	19 February 2007	Angie Radtke/Robert Deutz
2	gk_coolfoto	★		1.0.0	30/06/2009	Robert Gavick - GavickPro
3	JA_Puri			1.2.0	12/26/07	JoomlArt.com
4	rhuk_mi			1.0.2	11/20/06	Andy Miller

Display # 20

Joomla! is Free Software released under the GNU/GPL License.

Basic template parameters:

Template color:

Select default template color (Flowers - Weaven).

Column position width:

Set width for column position in pixels (i.e. 300)

Inset position width:

Set width for inset module position in pixels (i.e. 200)

Column position:

Set column position to right or left side.

Header 1 position width:

Set width of header1 module position - it must be value in px i.e. 620 . Width of header2 module position will be adjusted automatically.

Header 3 position width:

Set width of header3 module position - it must be value in px i.e. 728 . Width of header4 module position will be adjusted automatically.

Parameters

The parameter file `templates/gk_coolfoto/params.ini` is **writable!**

Basic template parameters	
Template color	Flowers
Column position width	300
Inset position width	200
Column position	Right
Header 1 position width	690
Header 3 position width	728
Show mainbody on frontpage	Disabled
Interface parameters	
IE6 alert	Enabled
Login button	Enabled
Register button	Enabled
Logo as image	Enabled
Style switcher	Enabled

Show mainbody on frontpage:

Enable/disable the mainbody on frontage.

Interface parameters:

IE6 alert:

Show information when user use IE6.

IE6 alert:

Show information when user use IE6.

Login button:

Enable this option if you want to show login button and login area.

Register button:

Enable this option if you want to show register button.

Logo as image:

If you want to have normal image instead of link with background - enable this option. **IMPORTANT: when you enable this option, style change won't change your logo till page refresh**

Style switcher:

Enable this option if you want to enable style switcher on frontpage.

Interface parameters:

Icons status:

In this template, we provide the following social status icons. You can enable each one and set the respective URL.



Footer parameters:

Footer content:

Here you can easily change the footer content to your own.

Menu parameters:

Menu type:

Select main menu type (Moomenu - Suckerfish menu - standard menu).

Menu name:

Name of menu to load on frontpage.

Menu speed:

Set speed of menu animation.

Social icons parameters	
Icon 1 status	Enabled
Icon 1 link	
Icon 2 status	Enabled
Icon 2 link	
Icon 3 status	Enabled
Icon 3 link	
Icon 4 status	Enabled
Icon 4 link	
Icon 5 status	Enabled
Icon 5 link	
Icon 6 status	Enabled
Icon 6 link	
Icon 7 status	Enabled
Icon 7 link	
Icon 8 status	Enabled
Icon 8 link	
Icon 9 status	Enabled
Icon 9 link	
Icon 10 status	Enabled
Icon 10 link	
Footer parameters	
Footer content	<pre> Template Design © Joom Templates GavickPro. All rights reserved. </pre>
Menu parameters	
Menu type	MooMenu
Menu name	mainmenu
Menu speed	180
Menu animation	linear
Menu width animation	Enabled
Menu height animation	Enabled
Menu opacity animation	Enabled

Menu animation:

Select type of menu animation transition between 34 different types.

Menu width animation:

Use width animation in menu.

Menu height animation:

Use height animation in menu.

Menu opacity animation:

Use opacity animation in menu.

PhotoSlide GK3 Component Installation

PhotoSlide GK3 is the most advanced and free component for Image Slide available for Joomla!1.5. You need to download this package from our free tools download section on <http://www.gavick.com/downloads-area.html> and then unpack this file.

Using the Joomla Installer, search for the `com_gk3_photoslide.zip` and select “upload and install”. A message will appear saying “Upload Component - Success” and it will show you an overview of the component.

For further detail information, please read the PhotoSlide GK3 HelpFile provided in the `_doc!` folder package.



Demo Group Configuration

Following also the instructions available on the PhotoSlide GK3 Helpfile, here's a screenshot from the group configuration used on the demo for the Image Show module on **Header** position. Set the following parameters group fields.

Name:

Set name ID for the group.

Description:

Give some description of your group.

Group type:

Set your group type between Image Group and News Show Pro GK1 group. In this case, you need to select Image Show Group type.

Image width:

Set main image width in pixels.

Image height:

Set main image height in pixels.

Thumbnail width:

Set width for thumbnails in pixels.

Thumbnail height:

Set height for thumbnails in pixels.

Name	<input type="text" value="Demo"/>
Description	<input type="text" value="Demo Group"/>
Group type	<input type="text" value="Group for Image Show"/>
Image width	<input type="text" value="800"/> px
Image height	<input type="text" value="600"/> px
Thumbnail width	<input type="text" value="500"/> px
Thumbnail height	<input type="text" value="333"/> px
Background	<input type="text" value="#FFFFFF"/>
Quality	<input type="text" value="95"/> %

Background:

Set background color in Hex color code (i.e. #FFFFFF)

Quality:

Set images quality in percentagem (recommended values between 75 and 95%).

Suggestion: Preferably use jpeg image format.

GK Image Show Module Installation

On front end display of the PhotoSlide GK3 groups, you need to use the GK Image Show module.

Warning! You cannot link directly the component using joomla menu for frontpage display.

In this template, we create an exclusive module style for Image Show module with his our parameters.

So, using the Joomla Installer, search for the `mod_gk_image_show.zip` and select “upload and install”

A message will appear saying “Install Module Success”.

If all goes well, you should see the GK Image Show module available on “[Extensions > Module Manager](#)” list. Search the module and enter inside for configuration.

The right screenshot displays the demo configuration used on Coolfoto template.

Important! Please, be sure to use this settings list. You can find them on the text file on module folder of package.

If you need to use more than one module to display a different group, you need to copy the module and remember to attribute a different unique ID.

Settings:

show_text_block:

Enable or disable the display of text block (false/true).

text_block_height:

Set height of text block in pixels (i.e. 100)

text_block_bgimage:

Enable text block bg image. This need template css style adding.

text_block_bgcolor:

Set text block bg color in hex code (i.e. #000000)

Parameters

▼ **Module Parameters**

Module Class Suffix	<input type="text"/>
Module unique ID	newsimage1
Slides group	Demo
Module style	Template style
Style variation	style1

Settings

```
show_text_block=false;
text_block_height=109;
text_block_bgimage=false;
text_block_bgcolor=#000;
text_block_opacity=0.5;
text_block_position=bottom;
clean_xhtml=true;
readmore_button=true;
title=true;
interface=true;
wordcount=30;
title_link=true;
readmore_text=See details;
preloading=true;
animation_speed=500;
animation_interval=5000;
autoanimation=true;
animation_type=opacity;
text1=preview;
text2=details;
bar1_enabled=true;
bar2_enabled=true;
bar1_width=120;
bar1_left=570;
bar1_top=60;
bar2_width=100;
bar2_left=565;
bar2_top=110;
image_pos_x=38;
image_pos_y=44;
interface_left=40;
interface_bottom=3;
```

► **Advanced Parameters**

text_block_opacity:

Set text block opacity between 1.0 to 0.0 value (i.e 0.5).

text_block_position:

Set text block position (bottom - top).

clean_xhtml:

You can clean your articles from any formatting (false/true).

readmore_button:

If you want to show readmore button (false/true)

title:

Enable title header content display on text block (false/true)

interface:

Enable interface (previous - pause - next) buttons (false/true).

wordcount:

Set amount of words on text block.

title_link:

You can enable link in header of article in text block (false/true)

readmore_text:

Set your own read more text.

preloading:

Turn on preloading (false/true).

animation_speed:

Speed for animation effect in ms (i.e. 1000).

animation_interval:

Interval between slides in ms (i.e. 5000).

autoanimation:

If you want to start animation automatically (false/true).

animation_type:

Slide effect for module (opacity / top / left / bottom / right).

text1:

Set your own preview text.

text2:

Set your own details text.

bar1_enabled:

Enable it if you want to display bar1 where you see preview text (false/true).

bar2_enabled:

Enable it if you want to display bar2 where you see details text (false/true).

bar1_width:

Set width in px of bar1 (i.e. 120).

bar1_left:

Set position from left of bar1 (i.e. 570).

bar1_top:

Set position from top of bar1 (i.e. 60).

bar2_width:

Set width in px of bar2 (i.e. 100).

bar2_left:

Set position from left of bar2 (i.e. 565).

bar2_top:

Set position from top of bar2 (i.e. 110).

image_pos_x:

Set x coordinate position of image (i.e. 38).

image_pos_y:

Set y coordinate position of image (i.e. 44).

interface_left:

Set left position of interface buttons (i.e. 40).

interface_bottom:

Set bottom position of interface buttons (i.e. 3).

Tabs Manager GK3 Component Installation

Tabs Manager GK3 is an amazing tool to display content on tabs, like articles, modules or even custom XHTML content. You need to download the package of this component from our free tools download section on <http://www.gavick.com/downloads-area.html> and then unpack this file.

Using the Joomla Installer, search for the `com_gk3_tabs_manager.zip` and select “upload and install”. A message will appear saying “Upload Component - Success” and it will show you an overview of the component.

Warning! You cannot link directly the component using joomla menu for frontpage display.



GK Tabs GK1 Module Installation

For front end display of the Tabs Manager GK3 groups content, please use the Gavick Tabs GK1 Module. Warning! You cannot link directly the component using joomla menu for frontpage display.

Using the Joomla Installer, search for the `mod_gk_tab.zip` and select “upload and install”. A message will appear saying “Install Module Success”. You can now see this module available on “Extensions > Module Manager” list.

Module Configuration

If you need to check our module configuration used on the demo template, please open the Demo Modules Configurations folder available on the package and inside of `GK_Tabs_GK1_module` folder you will find an screenshot for your consultation.

IMPORTANT!!! - In case you find problems with module style (i.e. - strange border around module), you can disable module CSS in advanced parameters. By doing this, it should solve your problem.

For further detail information, please read the Tabs Manager GK3 HelpFile provided in the `_doc!` folder package.

News Show Pro GK1 Module Installation

It's one of the most popular extension on Joomla Community. For some, perhaps the best ever made. We like to think that the best is yet to come. With it's powerful capabilities, the News Show Pro GK1 offers you an amazing ways to display your articles and news content in the most stylish and professional way.

Once again, download the package of this free module from our free tools download section on <http://www.gavick.com/downloads-area.html> and them unpack the file.

Using the Joomla Installer, search for the `mod_news_pro_gk1.zip` and select "upload and install". A message will appear saying 'Upload module - Success' and it will show you an overview of the module.



News Show Pro GK1 Module Configuration

If you need to check our modules configurations used on the demo template, please open the Demo Modules Configurations folder available on the package and inside of GK_News_Show_Pro_module folder you will find screenshots of all the modules used and identified with the respetive module ID for your consultation.

IMPORTANT!!! - In case you find problems with module style (i.e. - strange border around module), you can disable module CSS in advanced parameters. By doing this, it should solve your problem.

For further detail information, please read the News Show Pro GK1 HelpFile provided in the `_doc!` folder package.

12 GK Typography Plugin

GK typography plugin overview

In Coolfoto we implemented a new feature extremely useful for the use of typography, specially created for the template. Like in all Joomla templates, characterization of the text style is added to enrich even more the respective content. However, we may say that some Users have not been motivated to use this potential, perhaps because this information was not easily available.

So, in order to promote and facilitate the use of the typography, we added a special plugin that will allow Users to set easily any typography style in text.

This new feature will be implemented in all our future templates and also on our old templates from 2008 to 2009.

GK typography plugin installation

Go to “Extensions > Install/Uninstall” and select the plg.gk_typography.zip file, available inside the plugins folder on thegk_coolfoto_J!15_rest_files package. Upload file and install.

A message will appear saying ‘Install Plugin Success’ and it will show you an small description of the plugin.

Install Components Modules Plugins Languages Templates

Install Plugin Success

Plugin to easier typography using in Joomla WYSIWYG editors.

Upload Package File

Package File:

Install from Directory

Install Directory:

Install from URL

Install URL:

Since this is a plugin, you need to enable on the Plugin Manager of your Joomla. So, navigate “Extensions > Plugin Manager” and find the **Button - GK Typography** Plugin and enable it.

14	<input type="checkbox"/>	Editor Button - Image	✓	▼	0	Public	editors-xttd	image	21
15	<input type="checkbox"/>	Editor Button - Pagebreak	✓	▲▼	0	Public	editors-xttd	pagebreak	22
16	<input type="checkbox"/>	Editor Button - Readmore	✓	▲▼	0	Public	editors-xttd	readmore	23
17	<input type="checkbox"/>	Button - GK Typography	✗	▲	0	Public	editors-xttd	gk_typography	34
18	<input type="checkbox"/>	Search - Content	✓	▲▼	1	Public	search	content	6
19	<input type="checkbox"/>	Search - Weblinks	✓	▲▼	2	Public	search	weblinks	11
20	<input type="checkbox"/>	Search - Contacts	✓	▲	3	Public	search	contacts	7

Display # 20 Start Prev 1 2 Next End Page 1 of 2

GK typography plugin How to Use


In Coolfoto we implemented a new feature extremely useful for the use of typography, specially created for the template. Like in all joomla templates, characterization of the text style is added to enrich even more the respective content. However, we may say that some Users have not been motivated to use this potential, perhaps because this information was not easily available.

So, in order to promote and facilitate the use of the typography, we added a special plugin that will allow Users to set easily any typography style in text.

This new feature will be implemented in all our future templates and also on our old templates from 2008 to 2009.

It's very easy to work with as you be able to see. So, let's start by creating a new article.


Go to "Content > Articles Manager" and press new button. Now you will see the normal WYSIWYG joomla editor and on the bar above you will find the GK Typography button.




Click on it and a modalbox will popup with all the Typography added to this template. Scroll down top select the desired one, and press the respective text style on the left column.

Warnings	
info1	<p class="info1">Your info message goes here!</p>
tips1	<p class="tips1">Your tips goes here!</p>
warning1	<p class="warning1">Your warning message goes here!</p>
info2	<p class="info2">Your info message goes here!</p>
tips2	<p class="tips2">Your tips goes here!</p>
warning2	<p class="warning2">Your warning message goes here!</p>
info3	<p class="info3">Your info message goes here!</p>
tips3	<p class="tips3">Your tips goes here!</p>
warning3	<p class="warning3">Your warning message goes here!</p>
info4	<p class="info4">Your info message goes here!</p>
tips4	<p class="tips4">Your tips goes here!</p>
warning4	<p class="warning4">Your warning message goes here!</p>
Headers	
H1	<h1>Heading 1</h1>
H2	<h2>Heading 2</h2>
H3	<h3>Heading 3</h3>
H4	<h4>Heading 4</h4>
Icons	


For example, i will select the “legend6” style. So, i just press on it and immediatly text will be added on the text area.



Now, i just need to replace the existing text with my own and save.



So, let's see the result on frontpage.



Nice, right?

Easy and friendly interface, this will be very important to help you to create stunning articles styles.

-  This is a sample info message. Use `<p class="info1">Your info message goes here!</p>`.
-  This is a sample tips message. Use `<p class="tips1">Your tips goes here!</p>`.
-  This is a sample warning message. Use `<p class="warning1">Your warning message goes here!</p>`.

-  This is a sample info message. Use `<p class="info2">Your info message goes here!</p>`.
-  This is a sample tips message. Use `<p class="tips2">Your tips goes here!</p>`.
-  This is a sample warning message. Use `<p class="warning2">Your warning message goes here!</p>`.

-  This is a sample info message. Use `<p class="info3">Your info message goes here!</p>`.
-  This is a sample tips message. Use `<p class="tips3">Your tips goes here!</p>`.
-  This is a sample warning message. Use `<p class="warning3">Your warning message goes here!</p>`.

This is heading 1

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Integer semper egestas nunc in volutpat. Fusce adipiscing velit ac eros tempor iaculis. Phasellus venenatis mollis augue, non posuere odio placerat in. Etiam volutpat ultrices lectus. Fusce eu felis erat. Donec congue interdum elit, sed ornare magna convallis lacinia. In hac habitasse platea dictumst. Mauris volutpat consectetur accumsan.

This is heading 2

Cras diam justo, sodales quis lobortis sed, lobortis vel mauris. Sed a mollis nunc. Quisque semper condimentum lectus, eget laoreet ipsum auctor et. Quisque sagittis luctus augue, id fringilla enim euismod quis. Nullam blandit, elit at euismod rutrum, tortor nibh posuere mauris, in volutpat diam ante ac dul. Sed velit massa, Imperdiet placerat tristique et, consectetur a lorem. Praesent aliquet turpis in quam tempor eu pulvinar nibh luctus.

This is heading 3

Vivamus rhoncus arcu sit amet est tristique convallis nec vel eros. Vestibulum euismod luctus velit quis porta. Aliquam varius placerat mauris sed vehicula. Integer porta facilisis saplen, in tempus lorem mattis molestie. Suspendisse potenti. Praesent quis diam non dolor convallis mattis eu id nulla.

This is heading 4

Proin uma erat, egestas vel consectetur at, accumsan at purus. Donec est risus, facilisis dignissim placerat nec, euismod lacinia nisi. Nam ac sem sed quam sollicitudin condimentum et eu neque. Nunc enim urna, ultricies ac mollis pretium, imperdiet hendrerit massa. Sed eleifend felis sed tellus cursus lacinia. Aenean venenatis aliquet euismod. Nam quis turpis tellus, vitae malesuada neque.

-  This is a sample audio message. Use `<p class="audio">Your audio message goes here!</p>`.
-  This is a sample webcam message. Use `<p class="webcam">Your webcam goes here!</p>`.
-  This is a sample email message. Use `<p class="email">Your email message goes here!</p>`.
-  This is a sample creditcard message. Use `<p class="creditcard">Your creditcard message goes here!</p>`.
-  This is a sample feed message. Use `<p class="feed">Your feed goes here!</p>`.
-  This is a sample help message. Use `<p class="help">Your help message goes here!</p>`.
-  This is a sample images message. Use `<p class="images">Your images message goes here!</p>`.
-  This is a sample lock message. Use `<p class="lock">Your webcam goes here!</p>`.
-  This is a sample printer message. Use `<p class="printer">Your printer message goes here!</p>`.
-  This is a sample report message. Use `<p class="report">Your report message goes here!</p>`.
-  This is a sample script message. Use `<p class="script">Your script goes here!</p>`.
-  This is a sample time message. Use `<p class="time">Your time message goes here!</p>`.
-  This is a sample user message. Use `<p class="user">Your user message goes here!</p>`.
-  This is a sample world message. Use `<p class="world">Your world goes here!</p>`.
-  This is a sample cart message. Use `<p class="cart">Your cart message goes here!</p>`.
-  This is a sample cd message. Use `<p class="cd">Your cd message goes here!</p>`.
-  This is a sample chart_bar message. Use `<p class="chart_bar">Your chart_bar goes here!</p>`.

-  This is a sample chart_line message. Use `<p class="chart_line">Your chart_line message goes here!</p>`.
-  This is a sample chart_pie message. Use `<p class="chart_pie">Your chart_pie message goes here!</p>`.
-  This is a sample clock message. Use `<p class="clock">Your clock goes here!</p>`.
-  This is a sample cog message. Use `<p class="cog">Your cog message goes here!</p>`.
-  This is a sample coins message. Use `<p class="coins">Your coins message goes here!</p>`.
-  This is a sample compress message. Use `<p class="compress">Your compress goes here!</p>`.
-  This is a sample computer message. Use `<p class="computer">Your computer message goes here!</p>`.
-  This is a sample cross message. Use `<p class="cross">Your cross message goes here!</p>`.
-  This is a sample disk message. Use `<p class="disk">Your disk goes here!</p>`.
-  This is a sample error message. Use `<p class="error">Your error message goes here!</p>`.
-  This is a sample exclamation message. Use `<p class="exclamation">Your exclamation message goes here!</p>`.
-  This is a sample film message. Use `<p class="film">Your film goes here!</p>`.
-  This is a sample folder message. Use `<p class="folder">Your folder message goes here!</p>`.
-  This is a sample group message. Use `<p class="group">Your group message goes here!</p>`.
-  This is a sample heart message. Use `<p class="heart">Your heart goes here!</p>`.
-  This is a sample house message. Use `<p class="house">Your house message goes here!</p>`.
-  This is a sample image message. Use `<p class="image">Your image message goes here!</p>`.
-  This is a sample information message. Use `<p class="information">Your information message goes here!</p>`.
-  This is a sample magnifier message. Use `<p class="magnifier">Your magnifier message goes here!</p>`.
-  This is a sample money message. Use `<p class="money">Your money goes here!</p>`.
-  This is a sample new message. Use `<p class="new">Your new message goes here!</p>`.
-  This is a sample note message. Use `<p class="note">Your note message goes here!</p>`.
-  This is a sample page message. Use `<p class="page">Your page goes here!</p>`.
-  This is a sample page_white message. Use `<p class="page_white">Your page_white message goes here!</p>`.
-  This is a sample plugin message. Use `<p class="plugin">Your plugin message goes here!</p>`.
-  This is a sample accept message. Use `<p class="accept">Your accept goes here!</p>`.
-  This is a sample add message. Use `<p class="add">Your add message goes here!</p>`.
-  This is a sample camera message. Use `<p class="camera">Your camera message goes here!</p>`.
-  This is a sample brick message. Use `<p class="brick">Your brick goes here!</p>`.
-  This is a sample box message. Use `<p class="box">Your box message goes here!</p>`.
-  This is a sample calendar message. Use `<p class="calendar">Your calendar message goes here!</p>`.

This is a **highlight phrase** . Use `Your highlight phrase goes here!`.

This is a **highlight phrase** . Use `Your highlight phrase goes here!`.

This is a **highlight phrase** . Use `Your highlight phrase goes here!`.

This is a **highlight phrase** . Use `Your highlight phrase goes here!`.

Below is a sample of `<pre>` or `<div class="code1">`

```
#wrapper {
    position: relative;
    float: left;
    display: block;
}
```

Below is a sample of `<div class="code2">`

```
#wrapper {
    position: relative;
    float: left;
    display: block;
}
```

Below is a sample of `<div class="code3"><h4>Name of your file</h4>Here goes your code</div>`

```
File
#wrapper {
  position: relative;
  float: left;
  display: block;
}
```

Types of unordered lists

<pre><ul class="bullet1"></pre> <ul style="list-style-type: none"> ● Element 1 ● Element 2 ● Element 3 	<pre><ul class="bullet2"></pre> <ul style="list-style-type: none"> ● Element 1 ● Element 2 ● Element 3 	<pre><ul class="bullet3"></pre> <ul style="list-style-type: none"> ● Element 1 ● Element 2 ● Element 3
<pre><ul class="bullet4"></pre> <ul style="list-style-type: none"> ● Element 1 ● Element 2 ● Element 3 	<pre><ul class="circle1"></pre> <ul style="list-style-type: none"> ○ Element 1 ○ Element 2 ○ Element 3 	<pre><ul class="circle2"></pre> <ul style="list-style-type: none"> ○ Element 1 ○ Element 2 ○ Element 3
<pre><ul class="square1"></pre> <ul style="list-style-type: none"> ■ Element 1 ■ Element 2 ■ Element 3 	<pre><ul class="square2"></pre> <ul style="list-style-type: none"> ■ Element 1 ■ Element 2 ■ Element 3 	<pre><ul class="square3"></pre> <ul style="list-style-type: none"> ■ Element 1 ■ Element 2 ■ Element 3

Types of ordered list:

<pre><ol class="roman"></pre> <ol style="list-style-type: none"> I. Element II. Element III. Element IV. Element 	<pre><ol class="dec"></pre> <ol style="list-style-type: none"> 1. Element 2. Element 3. Element 4. Element 	<pre><ol class="alpha"></pre> <ol style="list-style-type: none"> a. Element b. Element c. Element d. Element 	<pre><ol class="decimalLeadingZero"></pre> <ol style="list-style-type: none"> 01. Element 02. Element 03. Element 04. Element
--	--	--	---

`<div class="number1"><p>here goes a numberand here text of element</p>`

- 01 Element
- 02 Element

`<div class="number2"><p>here goes a numberand here text of element</p>`

- 01 Element
- 02 Element

This is a sample of an abbreviation Dr. Use `<abbr title="Here goes full word or phrase">here goes an abbreviation</abbr>`

This is a sample of an acronym NATO. Use `<acronym title="Here goes full phrase">here goes an acronym</abbr>`

Below are samples of definition lists

`<dl class="def1"><dt>Here goes the word you're about to define</dt><dd>Here goes definition</dd></dl>`

Butter

It is a dairy product made by churning fresh or fermented cream or milk. It is generally used as a spread and a condiment, as well as in cooking applications such as baking, sauce making, and frying. Butter consists of butterfat, water and milk proteins.

Dairy milk

Is an opaque white liquid produced by the mammary glands of mammals (including monotremes). It provides the primary source of nutrition for newborn mammals before they are able to digest other types of food.

`<dl class="def2"><dt>Here goes the word you're about to define</dt><dd>Here goes definition</dd></dl>`

Butter

It is a dairy product made by churning fresh or fermented cream or milk. It is generally used as a spread and a condiment, as well as in cooking applications such as baking, sauce making, and frying. Butter consists of butterfat, water and milk proteins.

Dairy milk

Is an opaque white liquid produced by the mammary glands of mammals (including monotremes). It provides the primary source of nutrition for newborn mammals before they are able to digest other types of food.

`<dl class="def3"><dt>Here goes the word you're about to define</dt><dd>Here goes definition</dd></dl>`

Butter

It is a dairy product made by churning fresh or fermented cream or milk. It is generally used as a spread and a condiment, as well as in cooking applications such as baking, sauce making, and frying. Butter consists of butterfat, water and milk proteins.

Dairy milk

Is an opaque white liquid produced by the mammary glands of mammals (including monotremes). It provides the primary source of nutrition for newborn mammals before they are able to digest other types of food.

Legend

This is a sample legend note. Use `<div class="legend1"> <h4> Title </h4> <p>Lorem ipsum dolor sit amet, consectetur adipiscing elit. Integer urna. Aenean tristique. Fusce a neque. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus.</p> </div>`.

Legend

This is a sample legend note. Use `<div class="legend2"> <h4> Title </h4> <p>Lorem ipsum dolor sit amet, consectetur adipiscing elit. Integer urna. Aenean tristique. Fusce a neque. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus.</p> </div>`.

Legend

This is a sample legend note. Use `<div class="legend3"> <h4> Title </h4> <p>Lorem ipsum dolor sit amet, consectetur adipiscing elit. Integer urna. Aenean tristique. Fusce a neque. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus.</p> </div>`.

Legend

This is a sample legend note. Use `<div class="legend4"> <h4> Title </h4> <p>Lorem ipsum dolor sit amet, consectetur adipiscing elit. Integer urna. Aenean tristique. Fusce a neque. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus.</p> </div>`.

Legend

This is a sample legend note. Use `<div class="legend5"> <h4> Title </h4> <p>Lorem ipsum dolor sit amet, consectetur adipiscing elit. Integer urna. Aenean tristique. Fusce a neque. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus.</p> </div>`.

Legend

This is a sample legend note. Use `<div class="legend6"> <h4> Title </h4> <p>Lorem ipsum dolor sit amet, consectetur adipiscing elit. Integer urna. Aenean tristique. Fusce a neque. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus.</p> </div>`.

This is a sample text with Dropcap. Use `<p> t` to make the first letter larger. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Vestibulum condimentum pulvinar justo, sed faucibus ligula feugiat ac. Morbi quis enim nulla, vel congue augue. Duis quis quam sed purus porta eleifend. Vivamus ullamcorper est id libero aliquam ullamcorper. Donec eget dignissim augue. Donec ante felis, aliquam ut consequat eget, lobortis dapibus risus. Aliquam laoreet enim et lectus ornare hendrerit. Aliquam rhoncus enim libero. Morbi aliquam, nibh mattis feugiat dapibus, nisi massa adipiscing justo, sit amet condimentum urna ipsum et lacus. Nam fermentum, eros quis ullamcorper convallis, libero mauris lacinia eros, sed tempus leo lorem vitae purus. Nunc a malesuada felis. Cras ultrices sapien eu nisi elementum non blandit urna sodales. Duis accumsan cursus massa, eu facilisis diam porta ut. </p>

This is a sample text with Dropcap. Use `<p> t` to make the first letter larger. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Vestibulum condimentum pulvinar justo, sed faucibus ligula feugiat ac. Morbi quis enim nulla, vel congue augue. Duis quis quam sed purus porta eleifend. Vivamus ullamcorper est id libero aliquam ullamcorper. Donec eget dignissim augue. Donec ante felis, aliquam ut consequat eget, lobortis dapibus risus. Aliquam laoreet enim et lectus ornare hendrerit. Aliquam rhoncus enim libero. Morbi aliquam, nibh mattis feugiat dapibus, nisi massa adipiscing justo, sit amet condimentum urna ipsum et lacus. Nam fermentum, eros quis ullamcorper convallis, libero mauris lacinia eros, sed tempus leo lorem vitae purus. Nunc a malesuada felis. Cras ultrices sapien eu nisi elementum non blandit urna sodales. Duis accumsan cursus massa, eu facilisis diam porta ut. </p>

This is a sample text with Dropcap. Use `<p class="Dropcap3"> t` to make the first letter larger. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Vestibulum condimentum pulvinar justo, sed faucibus ligula feugiat ac. Morbi quis enim nulla, vel congue augue. Duis quis quam sed purus porta eleifend. Vivamus ullamcorper est id libero aliquam ullamcorper. Donec eget dignissim augue. Donec ante felis, aliquam ut consequat eget, lobortis dapibus risus. Aliquam laoreet enim et lectus ornare hendrerit. Aliquam rhoncus enim libero. Morbi aliquam, nibh mattis feugiat dapibus, nisi massa adipiscing justo, sit amet condimentum urna ipsum et lacus. Nam fermentum, eros quis ullamcorper convallis, libero mauris lacinia eros, sed tempus leo lorem vitae purus. Nunc a malesuada felis. Cras ultrices sapien eu nisi elementum non blandit urna sodales. Duis accumsan cursus massa, eu facilisis diam porta ut. </p>

Below are samples of text in which part of it is displayed in a separate block

`<p> Here goes main part of the text Block of textrest of the text</p>`

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Vestibulum condimentum pulvinar justo, sed faucibus ligula feugiat ac. Morbi quis enim nulla, vel congue augue. Duis quis quam sed purus porta eleifend. Donec eget dignissim augue. Donec ante felis, aliquam ut consequat eget, lobortis dapibus risus. Aliquam laoreet enim et lectus ornare hendrerit. Aliquam rhoncus enim libero. Morbi aliquam, nibh mattis feugiat dapibus, nisi massa adipiscing justo, sit amet condimentum urna ipsum et lacus. Nam fermentum, eros quis ullamcorper convallis, libero mauris lacinia eros, sed tempus leo lorem vitae purus. Nunc a malesuada felis. Cras ultrices sapien eu nisi elementum non blandit urna sodales. Duis accumsan cursus massa, eu facilisis diam porta ut. Morbi cursus est vel velit hendrerit dictum.

`<p> Here goes main part of the text Block of textrest of the text</p>`

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Vestibulum condimentum pulvinar justo, sed faucibus ligula feugiat ac. Morbi quis enim nulla, vel congue augue. Duis quis quam sed purus porta eleifend. Donec eget dignissim augue. Donec ante felis, aliquam ut consequat eget, lobortis dapibus risus. Aliquam laoreet enim et lectus ornare hendrerit. Aliquam rhoncus enim libero. Morbi aliquam, nibh mattis feugiat dapibus, nisi massa adipiscing justo, sit amet condimentum urna ipsum et lacus. Nam fermentum, eros quis ullamcorper convallis, libero mauris lacinia eros, sed tempus leo lorem vitae purus. Nunc a malesuada felis. Cras ultrices sapien eu nisi elementum non blandit urna sodales. Duis accumsan cursus massa, eu facilisis diam porta ut. Morbi cursus est vel velit hendrerit dictum.

`<p> Here goes main part of the text Block of textrest of the text</p>`

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Vestibulum condimentum pulvinar justo, sed faucibus ligula feugiat ac. Morbi quis enim nulla, vel congue augue. Duis quis quam sed purus porta eleifend.

Donec eget dignissim augue. Donec ante felis, aliquam ut consequat eget, lobortis dapibus risus. Aliquam laoreet enim et lectus ornare hendrerit. Aliquam rhoncus enim libero. Morbi aliquam, nibh mattis feugiat dapibus, nisi massa adipiscing justo, sit amet condimentum urna ipsum et lacus. Nam fermentum, eros quis ullamcorper convallis, libero mauris lacinia eros, sed tempus leo lorem vitae purus. Nunc a malesuada felis. Cras ultrices sapien eu nisi elementum non blandit urna sodales. Duis accumsan cursus massa, eu facilisis diam porta ut. Morbi cursus est vel velit hendrerit dictum.

This is a sample quote text. Use `<blockquote> Your quoted text goes here!</blockquote>`

☞ This is a sample quote text. Use `<blockquote><div class="blockquote1"><div> Your quoted text goes here!</div></div></blockquote>`

☞ This is a sample quote text. Use `<blockquote><div class="blockquote2"><div> Your quoted text goes here!</div></div></blockquote>`

☞☞ This is a sample quote text. Use `<blockquote><div class="blockquote3"><div> Your quoted text goes here!</div></div></blockquote>`

☞☞ This is a sample quote text. Use `<blockquote><div class="blockquote4"><div> Your quoted text goes here!</div></div></blockquote>`

This is a sample pin note. Use `Lorem ipsum dolor sit amet, consectetur adipiscing elit. Integer urna. Aenean tristique. Fusce a neque. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus.`

This is a sample pin note. Use `Lorem ipsum dolor sit amet, consectetur adipiscing elit. Integer urna. Aenean tristique. Fusce a neque. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus.`

This is a sample pin note. Use `Lorem ipsum dolor sit amet, consectetur adipiscing elit. Integer urna. Aenean tristique. Fusce a neque. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus.`

This is a sample pin note. Use `Lorem ipsum dolor sit amet, consectetur adipiscing elit. Integer urna. Aenean tristique. Fusce a neque. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus.`

This is a sample pin note. Use `Lorem ipsum dolor sit amet, consectetur adipiscing elit. Integer urna. Aenean tristique. Fusce a neque. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus.`

This is a sample pin note. Use `Lorem ipsum dolor sit amet, consectetur adipiscing elit. Integer urna. Aenean tristique. Fusce a neque. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus.`

This is a sample pin note. Use `Lorem ipsum dolor sit amet, consectetur adipiscing elit. Integer urna. Aenean tristique. Fusce a neque. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus.`

This is a sample pin note. Use `Lorem ipsum dolor sit amet, consectetur adipiscing elit. Integer urna. Aenean tristique. Fusce a neque. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus.`

This is a sample pin note. Use `Lorem ipsum dolor sit amet, consectetur adipiscing elit. Integer urna. Aenean tristique. Fusce a neque. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus.`

This is a sample pin note. Use `Lorem ipsum dolor sit amet, consectetur adipiscing elit. Integer urna. Aenean tristique. Fusce a neque. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus.`

This is a sample pin note. Use `Lorem ipsum dolor sit amet, consectetur adipiscing elit. Integer urna. Aenean tristique. Fusce a neque. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus.`

 This is a sample info message. Use `<p class="info1">Your info message goes here!</p>`.

 This is a sample tips message. Use `<p class="tips1">Your tips goes here!</p>`.

 This is a sample warning message. Use `<p class="warning1">Your warning message goes here!</p>`.

 This is a sample info message. Use `<p class="info2">Your info message goes here!</p>`.

 This is a sample tips message. Use `<p class="tips2">Your tips goes here!</p>`.

 This is a sample warning message. Use `<p class="warning2">Your warning message goes here!</p>`.

 This is a sample info message. Use `<p class="info3">Your info message goes here!</p>`.

 This is a sample tips message. Use `<p class="tips3">Your tips goes here!</p>`.

 This is a sample warning message. Use `<p class="warning3">Your warning message goes here!</p>`.

 This is a sample info message. Use `<p class="info4">Your info message goes here!</p>`.

 This is a sample tips message. Use `<p class="tips4">Your tips goes here!</p>`.

 This is a sample warning message. Use `<p class="warning4">Your warning message goes here!</p>`.

This is heading 1

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Integer semper egestas nunc in volutpat. Fusce adipiscing velit ac eros tempor iaculis. Phasellus venenatis mollis augue, non posuere odio placerat in. Etiam volutpat ultrices lectus. Fusce eu felis erat. Donec congue interdum elit, sed ornare magna convallis lacinia. In hac habitasse platea dictumst. Mauris volutpat consectetur accumsan.

This is heading 2

Cras diam justo, sodales quis lobortis sed, lobortis vel mauris. Sed a mollis nunc. Quisque semper condimentum lectus, eget laoreet ipsum auctor et. Quisque sagittis luctus augue, id fringilla enim euismod quis. Nullam blandit, elit at euismod rutrum, tortor nibh posuere mauris, in volutpat diam ante ac dul. Sed velit massa, Imperdiet placerat tristique et, consectetur a lorem. Praesent aliquet turpis in quam tempor eu pulvinar nibh luctus.

This is heading 3

Vivamus rhoncus arcu sit amet est tristique convallis nec vel eros. Vestibulum euismod luctus velit quis porta. Aliquam varius placerat mauris sed vehicula. Integer porta facilisis sapien, in tempus lorem mattis molestie. Suspendisse potenti. Praesent quis diam non dolor convallis mattis eu id nulla.

This is heading 4

Proin uma erat, egestas vel consectetur at, accumsan at purus. Donec est risus, facilisis dignissim placerat nec, euismod lacinia nisi. Nam ac sem sed quam sollicitudin condimentum et eu neque. Nunc enim urna, ultricies ac mollis pretium, imperdiet hendrerit massa. Sed eleifend felis sed tellus cursus lacinia. Aenean venenatis aliquet euismod. Nam quis turpis tellus, vitae malesuada neque.

 This is a sample audio message. Use `<p class="audio">Your audio message goes here!</p>`.

 This is a sample webcam message. Use `<p class="webcam">Your webcam goes here!</p>`.

 This is a sample email message. Use `<p class="email">Your email message goes here!</p>`.

 This is a sample creditcard message. Use `<p class="creditcard">Your creditcard message goes here!</p>`.

 This is a sample feed message. Use `<p class="feed">Your feed goes here!</p>`.

 This is a sample help message. Use `<p class="help">Your help message goes here!</p>`.

 This is a sample images message. Use `<p class="images">Your images message goes here!</p>`.

 This is a sample lock message. Use `<p class="lock">Your webcam goes here!</p>`.

 This is a sample printer message. Use `<p class="printer">Your printer message goes here!</p>`.

 This is a sample report message. Use `<p class="report">Your report message goes here!</p>`.

 This is a sample script message. Use `<p class="script">Your script goes here!</p>`.

 This is a sample time message. Use `<p class="time">Your time message goes here!</p>`.

 This is a sample user message. Use `<p class="user">Your user message goes here!</p>`.

 This is a sample world message. Use `<p class="world">Your world goes here!</p>`.

 This is a sample cart message. Use `<p class="cart">Your cart message goes here!</p>`.

 This is a sample cd message. Use `<p class="cd">Your cd message goes here!</p>`.

 This is a sample chart_bar message. Use `<p class="chart_bar">Your chart_bar goes here!</p>`.

-  This is a sample chart_line message. Use `<p class="chart_line">Your chart_line message goes here!</p>`.
-  This is a sample chart_pie message. Use `<p class="chart_pie">Your chart_pie message goes here!</p>`.
-  This is a sample clock message. Use `<p class="clock">Your clock goes here!</p>`.
-  This is a sample cog message. Use `<p class="cog">Your cog message goes here!</p>`.
-  This is a sample coins message. Use `<p class="coins">Your coins message goes here!</p>`.
-  This is a sample compress message. Use `<p class="compress">Your compress goes here!</p>`.
-  This is a sample computer message. Use `<p class="computer">Your computer message goes here!</p>`.
-  This is a sample cross message. Use `<p class="cross">Your cross message goes here!</p>`.
-  This is a sample disk message. Use `<p class="disk">Your disk goes here!</p>`.
-  This is a sample error message. Use `<p class="error">Your error message goes here!</p>`.
-  This is a sample exclamation message. Use `<p class="exclamation">Your exclamation message goes here!</p>`.
-  This is a sample film message. Use `<p class="film">Your film goes here!</p>`.
-  This is a sample folder message. Use `<p class="folder">Your folder message goes here!</p>`.
-  This is a sample group message. Use `<p class="group">Your group message goes here!</p>`.
-  This is a sample heart message. Use `<p class="heart">Your heart goes here!</p>`.
-  This is a sample house message. Use `<p class="house">Your house message goes here!</p>`.
-  This is a sample image message. Use `<p class="image">Your image message goes here!</p>`.
-  This is a sample information message. Use `<p class="information">Your information message goes here!</p>`.
-  This is a sample magnifier message. Use `<p class="magnifier">Your magnifier message goes here!</p>`.
-  This is a sample money message. Use `<p class="money">Your money goes here!</p>`.
-  This is a sample new message. Use `<p class="new">Your new message goes here!</p>`.
-  This is a sample note message. Use `<p class="note">Your note message goes here!</p>`.
-  This is a sample page message. Use `<p class="page">Your page goes here!</p>`.
-  This is a sample page_white message. Use `<p class="page_white">Your page_white message goes here!</p>`.
-  This is a sample plugin message. Use `<p class="plugin">Your plugin message goes here!</p>`.
-  This is a sample accept message. Use `<p class="accept">Your accept goes here!</p>`.
-  This is a sample add message. Use `<p class="add">Your add message goes here!</p>`.
-  This is a sample camera message. Use `<p class="camera">Your camera message goes here!</p>`.
-  This is a sample brick message. Use `<p class="brick">Your brick goes here!</p>`.
-  This is a sample box message. Use `<p class="box">Your box message goes here!</p>`.
-  This is a sample calendar message. Use `<p class="calendar">Your calendar message goes here!</p>`.

This is a **highlight phrase** . Use `Your highlight phrase goes here!`.

This is a **highlight phrase** . Use `Your highlight phrase goes here!`.

This is a **highlight phrase** . Use `Your highlight phrase goes here!`.

This is a **highlight phrase** . Use `Your highlight phrase goes here!`.

Below is a sample of `<pre>` or `<div class="code1">`

```
#wrapper {
    position: relative;
    float: left;
    display: block;
}
```

Below is a sample of `<div class="code2">`

```
#wrapper {
    position: relative;
    float: left;
    display: block;
}
```

Below is a sample of `<div class="code3"><h4>Name of your file</h4>Here goes your code</div>`

```
File
#wrapper {
position: relative;
float: left;
display: block;
}
```

Types of unordered lists

<p><code><ul class="bullet1"></code></p> <ul style="list-style-type: none"> ● Element 1 ● Element 2 ● Element 3 <p><code><ul class="bullet4"></code></p> <ul style="list-style-type: none"> ● Element 1 ● Element 2 ● Element 3 <p><code><ul class="square1"></code></p> <ul style="list-style-type: none"> ■ Element 1 ■ Element 2 ■ Element 3 	<p><code><ul class="bullet2"></code></p> <ul style="list-style-type: none"> ● Element 1 ● Element 2 ● Element 3 <p><code><ul class="circle1"></code></p> <ul style="list-style-type: none"> ○ Element 1 ○ Element 2 ○ Element 3 <p><code><ul class="square2"></code></p> <ul style="list-style-type: none"> ■ Element 1 ■ Element 2 ■ Element 3 	<p><code><ul class="bullet3"></code></p> <ul style="list-style-type: none"> ● Element 1 ● Element 2 ● Element 3 <p><code><ul class="circle2"></code></p> <ul style="list-style-type: none"> ○ Element 1 ○ Element 2 ○ Element 3 <p><code><ul class="square3"></code></p> <ul style="list-style-type: none"> ■ Element 1 ■ Element 2 ■ Element 3
--	--	--

Types of ordered list:

<p><code><ol class="roman"></code></p> <ol style="list-style-type: none"> I. Element II. Element III. Element IV. Element 	<p><code><ol class="dec"></code></p> <ol style="list-style-type: none"> 1. Element 2. Element 3. Element 4. Element 	<p><code><ol class="alpha"></code></p> <ol style="list-style-type: none"> a. Element b. Element c. Element d. Element 	<p><code><ol class="decimalLeadingZero"></code></p> <ol style="list-style-type: none"> 01. Element 02. Element 03. Element 04. Element
---	---	---	--

`<div class="number1"><p>here goes a numberand here text of element</p>`

- 01 Element
- 02 Element

`<div class="number2"><p>here goes a numberand here text of element</p>`

- 01 Element
- 02 Element

This is a sample of an abbreviation Dr. Use `<abbr title="Here goes full word or phrase">here goes an abbreviation</abbr>`

This is a sample of an acronym NATO. Use `<acronym title="Here goes full phrase">here goes an acronym</abbr>`

Below are samples of definition lists

`<dl class="def1"><dt>Here goes the word you're about to define</dt><dd>Here goes definition</dd></dl>`

Butter

It is a dairy product made by churning fresh or fermented cream or milk. It is generally used as a spread and a condiment, as well as in cooking applications such as baking, sauce making, and frying. Butter consists of butterfat, water and milk proteins.

Dairy milk

It is an opaque white liquid produced by the mammary glands of mammals (including monotremes). It provides the primary source of nutrition for newborn mammals before they are able to digest other types of food.

`<dl class="def2"><dt>Here goes the word you're about to define</dt><dd>Here goes definition</dd></dl>`

Butter

It is a dairy product made by churning fresh or fermented cream or milk. It is generally used as a spread and a condiment, as well as in cooking applications such as baking, sauce making, and frying. Butter consists of butterfat, water and milk proteins.

Dairy milk

It is an opaque white liquid produced by the mammary glands of mammals (including monotremes). It provides the primary source of nutrition for newborn mammals before they are able to digest other types of food.

`<dl class="def3"><dt>Here goes the word you're about to define</dt><dd>Here goes definition</dd></dl>`

Butter

It is a dairy product made by churning fresh or fermented cream or milk. It is generally used as a spread and a condiment, as well as in cooking applications such as baking, sauce making, and frying. Butter consists of butterfat, water and milk proteins.

Dairy milk

It is an opaque white liquid produced by the mammary glands of mammals (including monotremes). It provides the primary source of nutrition for newborn mammals before they are able to digest other types of food.

Legend

This is a sample legend note. Use `<div class="legend1"> <h4> Title </h4> <p>Lorem ipsum dolor sit amet, consectetur adipiscing elit. Integer urna. Aenean tristique. Fusce a neque. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus.</p> </div>`

Legend

This is a sample legend note. Use `<div class="legend2"> <h4> Title </h4> <p>Lorem ipsum dolor sit amet, consectetur adipiscing elit. Integer urna. Aenean tristique. Fusce a neque. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus.</p> </div>`

Legend

This is a sample legend note. Use `<div class="legend3"> <h4> Title </h4> <p>Lorem ipsum dolor sit amet, consectetur adipiscing elit. Integer urna. Aenean tristique. Fusce a neque. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus.</p> </div>`

Legend

This is a sample legend note. Use `<div class="legend4"> <h4> Title </h4> <p>Lorem ipsum dolor sit amet, consectetur adipiscing elit. Integer urna. Aenean tristique. Fusce a neque. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus.</p> </div>`

Legend

This is a sample legend note. Use `<div class="legend5"> <h4> Title </h4> <p>Lorem ipsum dolor sit amet, consectetur adipiscing elit. Integer urna. Aenean tristique. Fusce a neque. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus.</p> </div>`

Legend

This is a sample legend note. Use `<div class="legend6"> <h4> Title </h4> <p>Lorem ipsum dolor sit amet, consectetur adipiscing elit. Integer urna. Aenean tristique. Fusce a neque. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus.</p> </div>`

This is a sample text with Dropcap. Use `<p> t` to make the first letter larger. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Vestibulum condimentum pulvinar justo, sed faucibus ligula feugiat ac. Morbi quis enim nulla, vel congue augue. Duis quis quam sed purus porta eleifend. Vivamus ullamcorper est id libero aliquam ullamcorper. Donec eget dignissim augue. Donec ante felis, aliquam ut consequat eget, lobortis dapibus risus. Aliquam laoreet enim et lectus ornare hendrerit. Aliquam rhoncus enim libero. Morbi aliquam, nibh mattis feugiat dapibus, nisi massa adipiscing justo, sit amet condimentum urna ipsum et lacus. Nam fermentum, eros quis ullamcorper convallis, libero mauris lacinia eros, sed tempus leo lorem vitae purus. Nunc a malesuada felis. Cras ultrices sapien eu nisi elementum non blandit urna sodales. Duis accumsan cursus massa, eu facilisis diam porta ut. </p>

This is a sample text with Dropcap. Use `<p> t` to make the first letter larger. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Vestibulum condimentum pulvinar justo, sed faucibus ligula feugiat ac. Morbi quis enim nulla, vel congue augue. Duis quis quam sed purus porta eleifend. Vivamus ullamcorper est id libero aliquam ullamcorper. Donec eget dignissim augue. Donec ante felis, aliquam ut consequat eget, lobortis dapibus risus. Aliquam laoreet enim et lectus ornare hendrerit. Aliquam rhoncus enim libero. Morbi aliquam, nibh mattis feugiat dapibus, nisi massa adipiscing justo, sit amet condimentum urna ipsum et lacus. Nam fermentum, eros quis ullamcorper convallis, libero mauris lacinia eros, sed tempus leo lorem vitae purus. Nunc a malesuada felis. Cras ultrices sapien eu nisi elementum non blandit urna sodales. Duis accumsan cursus massa, eu facilisis diam porta ut. </p>

This is a sample text with Dropcap. Use `<p class="Dropcap3"> t` to make the first letter larger. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Vestibulum condimentum pulvinar justo, sed faucibus ligula feugiat ac. Morbi quis enim nulla, vel congue augue. Duis quis quam sed purus porta eleifend. Vivamus ullamcorper est id libero aliquam ullamcorper. Donec eget dignissim augue. Donec ante felis, aliquam ut consequat eget, lobortis dapibus risus. Aliquam laoreet enim et lectus ornare hendrerit. Aliquam rhoncus enim libero. Morbi aliquam, nibh mattis feugiat dapibus, nisi massa adipiscing justo, sit amet condimentum urna ipsum et lacus. Nam fermentum, eros quis ullamcorper convallis, libero mauris lacinia eros, sed tempus leo lorem vitae purus. Nunc a malesuada felis. Cras ultrices sapien eu nisi elementum non blandit urna sodales. Duis accumsan cursus massa, eu facilisis diam porta ut. </p>

Below are samples of text in which part of it is displayed in a separate block

`<p> Here goes main part of the text Block of textrest of the text</p>`

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Vestibulum condimentum pulvinar justo, sed faucibus ligula feugiat ac. Morbi quis enim nulla, vel congue augue. Duis quis quam sed purus porta eleifend. Donec eget dignissim augue. Donec ante felis, aliquam ut consequat eget, lobortis dapibus risus. Aliquam laoreet enim et lectus ornare hendrerit.

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Vestibulum condimentum pulvinar justo, sed faucibus ligula feugiat ac. Morbi quis enim nulla, vel congue augue.

Aliquam rhoncus enim libero. Morbi aliquam, nibh mattis feugiat dapibus, nisi massa adipiscing justo, sit amet condimentum urna ipsum et lacus. Nam fermentum, eros quis ullamcorper convallis, libero mauris lacinia eros, sed tempus leo lorem vitae purus. Nunc a malesuada felis. Cras ultrices sapien eu nisi elementum non blandit urna sodales. Duis accumsan cursus massa, eu facilisis diam porta ut. Morbi cursus est vel velit hendrerit dictum.

`<p> Here goes main part of the text Block of textrest of the text</p>`

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Vestibulum condimentum pulvinar justo, sed faucibus ligula feugiat ac. Morbi quis enim nulla, vel congue augue. Duis quis quam sed purus porta eleifend. Donec eget dignissim augue. Donec ante felis, aliquam ut consequat eget, lobortis dapibus risus. Aliquam laoreet enim et lectus ornare hendrerit. Aliquam rhoncus enim libero. Morbi aliquam, nibh mattis feugiat dapibus, nisi massa adipiscing justo, sit amet condimentum urna ipsum et lacus. Nam fermentum, eros quis ullamcorper convallis, libero mauris lacinia eros, sed tempus leo lorem vitae purus. Nunc a malesuada felis. Cras ultrices sapien eu nisi elementum non blandit urna sodales. Duis accumsan cursus massa, eu facilisis diam porta ut. Morbi cursus est vel velit hendrerit dictum.

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Vestibulum condimentum pulvinar justo, sed faucibus ligula feugiat ac. Morbi quis enim nulla, vel congue augue.

`<p> Here goes main part of the text Block of textrest of the text</p>`

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Vestibulum condimentum pulvinar justo, sed faucibus ligula feugiat ac. Morbi quis enim nulla, vel congue augue. Duis quis quam sed purus porta eleifend.

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Vestibulum condimentum pulvinar justo, sed faucibus ligula feugiat ac. Morbi quis enim nulla, vel congue augue.

Donec eget dignissim augue. Donec ante felis, aliquam ut consequat eget, lobortis dapibus risus. Aliquam laoreet enim et lectus ornare hendrerit. Aliquam rhoncus enim libero. Morbi aliquam, nibh mattis feugiat dapibus, nisi massa adipiscing justo, sit amet condimentum urna ipsum et lacus. Nam fermentum, eros quis ullamcorper convallis, libero mauris lacinia eros, sed tempus leo lorem vitae purus. Nunc a malesuada felis. Cras ultrices sapien eu nisi elementum non blandit urna sodales. Duis accumsan cursus massa, eu facilisis diam porta ut. Morbi cursus est vel velit hendrerit dictum.

This is a sample quote text. Use `<blockquote> Your quoted text goes here!</blockquote>`

“ This is a sample quote text. Use `<blockquote><div class="blockquote1"><div> Your quoted text goes here!</div></div></blockquote>` ”

“ This is a sample quote text. Use `<blockquote><div class="blockquote2"><div> Your quoted text goes here!</div></div></blockquote>` ”

“ This is a sample quote text. Use `<blockquote><div class="blockquote3"><div> Your quoted text goes here!</div></div></blockquote>` ”

“ This is a sample quote text. Use `<blockquote><div class="blockquote4"><div> Your quoted text goes here!</div></div></blockquote>` ”

This is a sample pin note. Use `Lorem ipsum dolor sit amet, consectetur adipiscing elit. Integer urna. Aenean tristique. Fusce a neque. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. `

This is a sample pin note. Use `Lorem ipsum dolor sit amet, consectetur adipiscing elit. Integer urna. Aenean tristique. Fusce a neque. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. `

This is a sample pin note. Use `Lorem ipsum dolor sit amet, consectetur adipiscing elit. Integer urna. Aenean tristique. Fusce a neque. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. `

This is a sample pin note. Use `Lorem ipsum dolor sit amet, consectetur adipiscing elit. Integer urna. Aenean tristique. Fusce a neque. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. `

This is a sample pin note. Use `Lorem ipsum dolor sit amet, consectetur adipiscing elit. Integer urna. Aenean tristique. Fusce a neque. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. `

This is a sample pin note. Use `Lorem ipsum dolor sit amet, consectetur adipiscing elit. Integer urna. Aenean tristique. Fusce a neque. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. `

This is a sample pin note. Use `Lorem ipsum dolor sit amet, consectetur adipiscing elit. Integer urna. Aenean tristique. Fusce a neque. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. `

This is a sample pin note. Use `Lorem ipsum dolor sit amet, consectetur adipiscing elit. Integer urna. Aenean tristique. Fusce a neque. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. `

This is a sample pin note. Use `Lorem ipsum dolor sit amet, consectetur adipiscing elit. Integer urna. Aenean tristique. Fusce a neque. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. `


This is a sample pin note. Use `Lorem ipsum dolor sit amet, consectetur adipiscing elit. Integer urna. Aenean tristique. Fusce a neque. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. `

This is a sample pin note. Use `Lorem ipsum dolor sit amet, consectetur adipiscing elit. Integer urna. Aenean tristique. Fusce a neque. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. `



Screenshot of frontpage appearance with Flowers Theme.


Coolfoto template comes with embed style modules positions and with the following modules suffix.




Example of default style.



Using “_clear” suffix to the module.




Using “_color” suffix to the module.



Screenshot of frontpage appearance with Heaven Theme.


Coolfoto template comes with embed style modules positions and with the following modules suffix.




Example of default style.



Using “_text” suffix to the module.



Using “_clear” suffix to the module.



Using “_color” suffix to the module.

Module as Component

This is a new feature that we implement in the newest templates. Allows you to display any Module as Component.

You just need to enable the module to “**mainbody**” module position and assign it for example to a wrapper menu link without any content.

It will display full width or not, depending on the module width configuration.

So, if you are one of those who ask us if there a possibility to display a module as component, here's you answer.

Coolfoto template supports full width configurations for use with galleries or forums, make sure you do not publish any modules in right column and the component will fill the entire width.

